

Environment Monitoring Report

POEO Act (1997) monitoring data

Clyde Terminal: Durham Street, Camellia NSW

Environment Protection Licence (EPL) Number 570, held by Viva Energy Australia Pty Ltd


Record updated on: 22 November 2024

IMPORTANT NOTICE

This report for Clyde Terminal: Durham Street, Camellia NSW may contain information, data, opinions or predictions from Viva Energy or sourced from third parties. While reasonable care has been taken in relation to the preparation of this document, any person using or relying on the information, data, opinions or predictions (whether for commercial purposes or otherwise) does so at their own risk. Viva Energy (including its affiliates, employees, agents, contractors and representatives) makes no representation or warranties as to the accuracy or completeness of such information, data, opinions or predictions, and to the extent permitted by law excludes all liability for any loss or damage (whether caused by negligence or otherwise) resulting from reliance thereon. The information contained in the Report is confidential, and any copying, reproduction, disclosure or dissemination of the whole or any part of the Report is prohibited (except to the extent required by law) without the prior written consent of Viva Energy.

Clyde Terminal has Eight (8) licensed water discharge points as specified in the EPL 570 and depicted in figure 1. The water quality monitoring requirements are specified in EPL 570, including licence limits for water quality parameters and volume. The monitoring data is provided for Point 1, Point 2, Point 4, Point 25, Point 26, Point 28, Point 29 and Point 30. A log of corrections to data is also provided.

Figure 1



EPA ID No.1 – Biotreater discharge outlet

| Pollutant | Biochemical Oxygen Demand (BOD) | Fluoride | Nitrogen (Ammonia) | Oil and Grease | pH | Phenols | Total Nitrogen | Total Petroleum Hydrocarbons | | | | Total Phosphorus | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
|------------------|---------------------------------|-----------------|--------------------|----------------|---------|---------|------------------|------------------------------|---------|---------|---------|------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| | | | | | | | | C6-C9 | C10-C14 | C15-C28 | C29-C36 | | | | | | |
| Licence Limit | 45/95 (50%/90%) | 25/40 (50%/90%) | 6/30 (50%/90%) | 8/10 (50%/90%) | 6 to 9 | 0.5 | 35/100 (50%/90%) | n/a | | | | 1.5/6 (50%/90%) | 30/60 (50%/90%) | 4000 | 4000 | | |
| Units of Measure | mg/L | mg/L | mg/L | mg/L | | mg/L | mg/L | mg/L | | | | mg/L | mg/L | kL | kL | | |
| Freq. as per EPL | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | | | | Monthly | Monthly | Daily | Monthly | | |
| 02/01/2020 | <5 | 1.7 | 0.07 | <5 | 7 | <0.05 | 7 | <0.2 | <0.05 | <0.2 | <0.2 | 0.23 | <5 | 1739 | 765 | - | 06/02/2020 |
| 02/02/2020 | <5 | 0.36 | 0.1 | <5 | 7.1 | <0.05 | 0.89 | <0.2 | <0.05 | <0.2 | <0.2 | 0.13 | <5 | 1942 | 1493 | - | 13/03/2020 |
| 05/03/2020 | <5 | 0.85 | 0.02 | <5 | 7.3 | <0.05 | 0.6 | <0.2 | <0.05 | <0.2 | <0.2 | 0.12 | <5 | 1561 | 1280 | - | 13/03/2020 |
| 02/04/2020 | <5 | 0.24 | 0.01 | <5 | 7.7 | <0.05 | 2 | <0.2 | <0.05 | <0.2 | <0.2 | 0.11 | <5 | 1550 | 1187 | - | 15/05/2020 |
| 07/05/2020 | <5 | 1.8 | 0.3 | <5 | 7.4 | <0.05 | 6.9 | <0.2 | <0.05 | <0.2 | <0.2 | 0.19 | <5 | 1624 | 1359 | - | 15/05/2020 |
| 04/06/2020 | <5 | 0.32 | 0.07 | <5 | 7.9 | <0.05 | 6 | <0.2 | <0.05 | <0.2 | <0.2 | 0.11 | <5 | 1507 | 1280 | - | 19/06/2020 |
| 02/07/2020 | <5 | 0.47 | 0.08 | <5 | 6.5 | <0.05 | 13 | <0.04 | <0.05 | <0.2 | <0.2 | 0.11 | <5 | 1670 | 1185 | 08/07/2020 | 17/07/2020 |
| 06/08/2020 | <5 | 0.63 | 0.02 | <5 | 7.6 | <0.05 | 3.4 | <0.2 | <0.05 | <0.2 | <0.2 | 0.47 | 8 | 1538 | 1268 | 13/08/2020 | 18/08/2020 |
| 03/09/2020 | <5 | 1 | 0.03 | <5 | 6.4 | <0.05 | 0.73 | <0.2 | <0.05 | <0.2 | <0.2 | 0.11 | 6 | 1555 | 1040 | 09/09/2020 | 11/09/2020 |
| 01/10/2020 | 6 | 0.9 | 0.12 | <5 | 6.9 | <0.05 | 12 | <0.2 | <0.05 | <0.2 | <0.2 | 0.67 | <5 | 1643 | 986 | 09/10/2020 | 19/10/2020 |
| 05/11/2020 | <5 | 0.79 | 0.06 | <5 | 7.5 | <0.05 | 2 | <0.2 | <0.05 | <0.2 | <0.2 | 0.67 | <5 | 1686 | 1126 | 12/11/2020 | 16/11/2020 |
| 03/12/2020 | <5 | 2.3 | 0.06 | <5 | 7 | <0.05 | 5.6 | <0.2 | <0.05 | <0.2 | <0.2 | 0.76 | <5 | 1644 | 1273 | 10/11/2020 | 22/12/2020 |
| 07/01/2021 | <5 | 0.92 | 0.17 | <5 | 7.2 | <0.05 | 3.7 | <0.2 | <0.05 | <0.2 | <0.2 | 0.24 | 5 | 1699 | 1193 | 21/01/2021 | 21/01/2021 |
| 04/02/2021 | <5 | 1.1 | 0.05 | <5 | 7.5 | <0.05 | 2.9 | <0.2 | <0.05 | <0.2 | <0.2 | 0.20 | <5 | 1855 | 1455 | 11/02/2021 | 15/02/2021 |
| 04/03/2021 | <5 | 0.90 | 0.04 | <5 | 7.2 | <0.05 | 4.1 | <0.04 | <0.05 | <0.2 | <0.2 | 0.22 | <5 | 1524 | 1172 | 11/03/2021 | 23/03/2021 |
| 01/04/2021 | <5 | 0.63 | <0.01 | <5 | 7.1 | <0.05 | 0.05 | <0.04 | <0.05 | <0.2 | <0.2 | 0.02 | 9 | 1274 | 422 | 12/04/2021 | 15/04/2021 |
| 06/05/2021 | <5 | 1.1 | 0.03 | <5 | 7.4 | <0.05 | 0.77 | <0.04 | <0.05 | <0.2 | <0.2 | 0.02 | <5 | 1192 | 653 | 13/05/2021 | 17/05/2021 |
| 02/06/2021 | <5 | 0.89 | 0.26 | <5 | 7.3 | <0.05 | 1.2 | <0.2 | <0.05 | <0.2 | <0.2 | 0.55 | <5 | 1155 | 536 | 10/06/2021 | 23/06/2021 |
| 01/07/2021 | <5 | 0.97 | 0.42 | <5 | 7.1 | <0.05 | 1.8 | <0.04 | <0.05 | <0.2 | <0.2 | 0.40 | 6 | 1002 | 366 | 07/07/2021 | 16/07/2021 |
| 05/08/2021 | <5 | 1.2 | 0.66 | <5 | 7.4 | <0.05 | 2.4 | <0.04 | <0.05 | <0.2 | <0.2 | 1.5 | 18 | 1309 | 441 | 12/08/2021 | 19/08/2021 |
| 02/09/2021 | <5 | 0.66 | 0.02 | <5 | 7.1 | <0.05 | 1.2 | <0.04 | <0.05 | <0.2 | <0.2 | 0.59 | 14 | 1235 | 638 | 14/9/2021 | 28/9/2021 |
| 07/10/2021 | <5 | 0.44 | 0.38 | <5 | 7.0 | <0.05 | 4.9 | <0.04 | <0.05 | <0.2 | <0.2 | 1.1 | 14 | 1441 | 718 | 20/10/2021 | 21/10/2021 |
| 04/11/2021 | <5 | 1.1 | 0.03 | <5 | 7.4 | <0.05 | 5.4 | <0.04 | <0.05 | <0.2 | <0.2 | 0.88 | 9 | 1640 | 993 | 11/11/2021 | 24/11/2021 |
| 02/12/2021 | <5 | 0.43 | 0.13 | <5 | 7.0 | <0.05 | 3.9 | <0.04 | <0.05 | <0.2 | <0.2 | 0.81 | 10 | 1582 | 1012 | 09/12/2021 | 13/12/2021 |
| 06/01/2022 | <5 | 0.75 | 0.02 | <5 | 7.4 | <0.05 | 2.3 | <0.2 | <0.05 | <0.2 | <0.2 | 0.68 | 5 | 1745 | 1216 | 13/01/2022 | 18/01/2022 |
| 03/02/2022 | <5 | 0.80 | 0.02 | <5 | 7.3 | <0.05 | 1.9 | <0.05 | <0.05 | <0.2 | <0.2 | 0.42 | 5 | 1910 | 1608 | 10/02/2022 | 16/02/2022 |
| 03/03/2022 | <5 | 0.43 | 0.35 | 6 | 6.9 | <0.05 | 1.7 | <0.04 | <0.05 | <0.2 | <0.2 | 0.39 | 14 | 2081 | 1771 | 10/03/2022 | 11/03/2022 |
| 07/04/2022 | <5 | 0.68 | 0.02 | <5 | 7.3 | <0.05 | 0.76 | <0.04 | <0.05 | <0.2 | <0.2 | 0.31 | 8 | 2145 | 1553 | 19/04/2022 | 26/04/2022 |
| 05/05/2022 | <5 | 0.84 | 0.11 | <5 | 7.2 | <0.05 | 1.6 | <0.04 | <0.05 | <0.2 | <0.2 | 0.20 | <5 | 1968 | 1377 | 12/05/2022 | 31/05/2022 |
| 02/06/2022 | <5 | 0.75 | 0.06 | <5 | 7.4 | <0.05 | 2.9 | <0.04 | <0.05 | <0.2 | <0.2 | 0.23 | <5 | 1578 | 412 | 09/06/2022 | 20/06/2022 |
| 07/07/2022 | <5 | 0.38 | <0.01 | <5 | 6.8 | <0.05 | 0.35 | <0.04 | <0.05 | <0.2 | <0.2 | 0.08 | <5 | 1036 | 980 | 14/07/2022 | 26/07/2022 |
| 04/08/2022 | <5 | 0.57 | 0.10 | <5 | 6.9 | <0.05 | 0.53 | <0.04 | <0.05 | <0.2 | <0.2 | 0.18 | <5 | 1072 | 666 | 11/08/2022 | 12/08/2022 |
| 01/09/2022 | <5 | 0.72 | 0.02 | <5 | 7.3 | <0.05 | 1.3 | <0.04 | <0.05 | <0.2 | <0.2 | 0.33 | 12 | 1014 | 733 | 08/09/2022 | 16/08/2022 |
| 06/10/2022 | <5 | 0.57 | 0.06 | <5 | 7.1 | <0.05 | 0.57 | <0.04 | 0.058 | 0.45 | <0.2 | 0.21 | <5 | 959 | 896 | 13/10/2021 | 21/10/2022 |
| 03/11/2022 | <5 | 0.77 | 0.05 | <5 | 7.2 | <0.05 | 0.57 | <0.04 | <0.05 | 0.27 | <0.2 | 0.16 | <5 | 993 | 775 | 10/11/2022 | 21/11/2022 |

| EPA ID No.1 – Biotreater discharge outlet | | | | | | | | | | | | | | | | | |
|---|---------------------------------|-----------------|--------------------|----------------|---------|---------|------------------|------------------------------|---------|---------|---------|------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | Biochemical Oxygen Demand (BOD) | Fluoride | Nitrogen (Ammonia) | Oil and Grease | pH | Phenols | Total Nitrogen | Total Petroleum Hydrocarbons | | | | Total Phosphorus | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| | | | | | | | | C6-C9 | C10-C14 | C15-C28 | C29-C36 | | | | | | |
| Licence Limit | 45/95 (50%/90%) | 25/40 (50%/90%) | 6/30 (50%/90%) | 8/10 (50%/90%) | 6 to 9 | 0.5 | 35/100 (50%/90%) | n/a | | | | 1.5/6 (50%/90%) | 30/60 (50%/90%) | 4000 | 4000 | | |
| Units of Measure | mg/L | mg/L | mg/L | mg/L | | mg/L | mg/L | mg/L | | | | mg/L | mg/L | kL | kL | | |
| Freq. as per EPL | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | Monthly | | | | Monthly | Monthly | Daily | Monthly | | |
| 13/12/2022 | 6 | 2.0 | 0.59 | <5 | 7.6 | <0.05 | 2.0 | <0.04 | 0.51 | 0.34 | <0.2 | 0.42 | 9 | 991 | 648 | 09/12/2022 | 22/12/2022 |
| 05/01/2023 | <5 | 1.2 | 0.38 | <5 | 7.3 | <0.05 | 1.1 | <0.04 | <0.05 | <0.2 | <0.2 | 0.30 | 5 | 991 | 648 | 17/01/2023 | 24/01/2023 |
| 02/02/2023 | <5 | 0.61 | 0.02 | 6 | 7.0 | <0.05 | 0.95 | <0.04 | 0.18 | 0.47 | <0.2 | 0.18 | 11 | 1042 | 892 | 10/02/2023 | 24/02/2023 |
| 02/03/2023 | <5 | 0.65 | 0.04 | <5 | 7.1 | <0.05 | 1.0 | <0.04 | 0.47 | 0.53 | <0.2 | 0.25 | 9 | 1041 | 775 | 09/03/2023 | 10/03/2023 |
| 04/04/2023 | 7 | 0.92 | 0.07 | <5 | 7.0 | <0.05 | 1.3 | 0.15 | 0.62 | <0.2 | <0.2 | 0.22 | 12 | 1021 | 885 | 13/04/2023 | 26/04/2023 |
| 04/05/2023 | <5 | 0.66 | <0.01 | <5 | 7.5 | <0.05 | 0.47 | <4 | 0.43 | 0.78 | <0.2 | 0.09 | <5 | 934 | 706 | 11/05/2023 | 11/05/2023 |
| 01/06/2023 | <5 | 0.81 | 0.05 | <5 | 7.3 | <0.05 | 0.61 | <0.04 | <0.05 | <0.2 | <0.2 | 0.08 | <5 | 862 | 421 | 08/06/2023 | 19/06/2023 |
| 04/07/2023 | <5 | 1.0 | 0.03 | <5 | 7.6 | <0.05 | 0.65 | <0.04 | 0.19 | 0.75 | <0.2 | 0.08 | <5 | 855 | 530 | 11/07/2023 | 20/07/2023 |
| 01/08/2023 | <5 | 0.36 | 0.04 | <5 | 7.0 | <0.05 | 1.2 | <0.04 | <0.05 | <0.2 | <0.2 | 0.08 | <5 | 903 | 695 | 08/08/2023 | 22/08/2023 |
| 05/09/2023 | <5 | 0.74 | 0.05 | <5 | 7.2 | <0.05 | 1.3 | <0.04 | 0.10 | 0.25 | <0.2 | 0.08 | <5 | 927 | 622 | 15/09/2023 | 22/09/2023 |
| 03/10/2023 | <5 | 0.23 | <0.01 | <5 | 7.0 | <0.05 | 0.98 | <0.04 | 0.14 | 0.58 | <0.2 | 0.13 | 12 | 926 | 710 | 10/10/2023 | 24/10/2023 |
| 07/11/2023 | 10 | 0.71 | <0.01 | <5 | 7.1 | <0.05 | 1.3 | 0.3 | 0.57 | 0.67 | <0.2 | 0.16 | 18 | 1071 | 717 | 14/11/2023 | 20/11/2023 |
| 05/12/2023 | <5 | 0.53 | 0.12 | <5 | 6.8 | <0.05 | 1.0 | 0.082 | 0.054 | <0.2 | <0.2 | 0.13 | 11 | 1085 | 907 | 12/12/2023 | 19/12/2023 |
| 02/01/2024 | <5 | 0.60 | 0.09 | <5 | 7.3 | <0.05 | 0.84 | <0.04 | 0.079 | <0.2 | <0.2 | 0.11 | <5 | 892 | 836 | 11/01/2024 | 15/01/2024 |
| 06/02/2024 | <5 | 0.75 | 0.08 | <5 | 7.6 | <0.05 | 0.78 | <0.04 | <0.05 | <0.2 | <0.2 | 0.13 | <5 | 985 | 883 | 14/02/2024 | 21/02/2024 |
| 05/03/2024 | <5 | 0.69 | 0.04 | <5 | 7.5 | <0.05 | 0.60 | <0.04 | <0.05 | <0.2 | <0.2 | 0.06 | <5 | 968 | 670 | 19/03/2024 | 21/03/2024 |
| 02/04/2024 | <5 | 1.1 | 0.04 | <5 | 7.9 | <0.05 | 0.67 | <0.04 | <0.05 | <0.2 | <0.2 | 0.07 | <5 | 1012 | 829 | 09/04/2024 | 23/04/2024 |
| 07/05/2024 | <5 | 0.67 | 0.61 | <5 | 7.1 | <0.05 | 1.5 | <0.04 | 0.41 | 0.57 | <0.2 | 0.08 | 7 | 921 | 780 | 14/05/2024 | 20/05/2024 |
| 04/06/2024 | <5 | 0.58 | 0.15 | <5 | 7.1 | <0.05 | 0.96 | 0.049 | 0.25 | <0.2 | <0.2 | 0.10 | <5 | 909 | 860 | 12/06/2024 | 18/06/2024 |
| 02/07/2024 | <5 | 0.46 | 0.10 | <5 | 7.1 | <0.05 | 0.58 | 0.18 | 0.16 | 0.39 | <0.2 | 0.02 | <5 | 898 | 731 | 15/07/2024 | 16/07/2024 |
| 06/08/2024 | <5 | 0.42 | 0.05 | <5 | 7.6 | <0.05 | 0.42 | <0.04 | 0.11 | 0.41 | <0.2 | 0.02 | <5 | 804 | 172 | 19/08/2024 | 20/08/2024 |
| 03/09/2024 | <5 | 0.81 | 0.16 | <5 | 7.5 | <0.05 | 1.0 | <0.04 | 0.17 | 0.57 | <0.2 | 0.07 | <5 | - | - | 10/09/2024 | 20/09/2024 |
| 01/10/2024 | <5 | 0.65 | 0.09 | <5 | 7.5 | <0.05 | 1.1 | <0.04 | 0.23 | 0.45 | <0.2 | 0.11 | <5 | - | - | 09/10/2024 | 18/10/2024 |
| 05/11/2024 | <5 | 1.2 | 0.07 | <5 | 7.6 | <0.05 | 1.2 | <0.04 | 0.088 | 0.49 | <0.2 | 0.10 | <5 | | | 12/11/2024 | 22/11/2024 |

Note 1: (50%/90%) = 50% of the time samples have to meet the concentration limit over the reporting period (2 July– 1 July), 90% of the time the samples have to meet the concentration limit over the reporting period (2 July – 1 July)

| EPA ID No.2 – Main Interceptor Pumpout | | | | | | | | |
|--|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 0.5 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Jan 2020 | | | No discharge | | 0 | 0 | NA | 06/02/2020 |
| Feb 2020 | | | No discharge | | 0 | 0 | NA | 13/03/2020 |
| Mar 2020 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| Apr 2020 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| May 2020 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jun 2020 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jul 2020 | | | No discharge | | 0 | 0 | NA | 18/08/2020 |
| Aug 2020 | | | No discharge | | 0 | 0 | NA | 11/09/2020 |
| Sep 2020 | | | No discharge | | 0 | 0 | NA | 19/10/2020 |
| Oct 2020 | | | No discharge | | 0 | 0 | NA | 16/11/2020 |
| Nov 2020 | | | No discharge | | 0 | 0 | NA | 22/12/2020 |
| Dec 2020 | | | No discharge | | 0 | 0 | NA | 21/01/2021 |
| Jan 2021 | | | No discharge | | 0 | 0 | NA | 15/02/2021 |
| Feb 2021 | | | No discharge | | 0 | 0 | NA | 23/03/2021 |
| Mar 2021 | | | No discharge | | 0 | 0 | NA | 15/04/2021 |
| Apr 2021 | | | No discharge | | 0 | 0 | NA | 17/05/2021 |
| May 2021 | | | No discharge | | 0 | 0 | NA | 23/06/2021 |
| Jun 2021 | | | No discharge | | 0 | 0 | NA | 16/07/2021 |
| Jul 2021 | | | No discharge | | 0 | 0 | NA | 19/08/2021 |
| Aug 2021 | | | No discharge | | 0 | 0 | NA | 28/09/2021 |
| Sep 2021 | | | No discharge | | 0 | 0 | NA | 21/10/2021 |
| Oct 2021 | | | No discharge | | 0 | 0 | NA | 24/11/2021 |
| Nov 2021 | | | No discharge | | 0 | 0 | NA | 13/12/2021 |
| Dec 2021 | | | No discharge | | 0 | 0 | NA | 18/01/2022 |
| Jan 2022 | | | No discharge | | 0 | 0 | NA | 16/02/2022 |
| Feb 2022 | | | No discharge | | 0 | 0 | NA | 11/03/2022 |
| Mar 2022 | | | No discharge | | 0 | 0 | NA | 13/04/2022 |
| Apr 2022 | | | No discharge | | 0 | 0 | NA | 31/05/2022 |
| May 2022 | | | No discharge | | 0 | 0 | NA | 20/06/2022 |
| Jun 2022 | | | No discharge | | 0 | 0 | NA | 26/07/2022 |
| Jul 2022 | | | No discharge | | 0 | 0 | NA | 12/08/2022 |

| EPA ID No.2 – Main Interceptor Pumpout | | | | | | | | |
|--|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 0.5 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Aug 2022 | | | No discharge | | 0 | 0 | NA | 16/09/2022 |
| Sep 2022 | | | No discharge | | 0 | 0 | NA | 21/10/2022 |
| Oct 2022 | | | No discharge | | 0 | 0 | NA | 21/11/2022 |
| Nov 2022 | | | No discharge | | 0 | 0 | NA | 22/12/2022 |
| Dec 2022 | | | No discharge | | 0 | 0 | NA | 24/01/2023 |
| Jan 2023 | | | No discharge | | 0 | 0 | NA | 24/02/2023 |
| Feb 2023 | | | No discharge | | 0 | 0 | NA | 10/03/2023 |
| Mar 2023 | | | No discharge | | 0 | 0 | NA | 26/04/2023 |
| Apr 2023 | | | No discharge | | 0 | 0 | NA | 11/05/2023 |
| May 2023 | | | No discharge | | 0 | 0 | NA | 19/06/2023 |
| Jun 2023 | | | No discharge | | 0 | 0 | NA | 20/07/2023 |
| Jul 2023 | | | No discharge | | 0 | 0 | NA | 22/08/2023 |
| Aug 2023 | | | No discharge | | 0 | 0 | NA | 22/09/2023 |
| Sep 2023 | | | No discharge | | 0 | 0 | NA | 24/10/2023 |
| Oct 2023 | | | No discharge | | 0 | 0 | NA | 20/11/2023 |
| Nov 2023 | | | No discharge | | 0 | 0 | NA | 19/12/2023 |
| Dec 2023 | | | No discharge | | 0 | 0 | NA | 15/01/2024 |
| Jan 2024 | | | No discharge | | 0 | 0 | NA | 21/02/2024 |
| Feb 2024 | | | No discharge | | 0 | 0 | NA | 14/03/2024 |
| Mar 2024 | | | No discharge | | 0 | 0 | NA | 23/04/2024 |
| Apr 2024 | | | No discharge | | 0 | 0 | NA | 20/05/2024 |
| May 2024 | | | No discharge | | 0 | 0 | NA | 18/06/2024 |
| Jun 2024 | | | No discharge | | 0 | 0 | NA | 12/07/2024 |
| Jul 2024 | | | No discharge | | 0 | 0 | NA | 20/08/2024 |
| Aug 2024 | | | No discharge | | 0 | 0 | NA | 20/09/2024 |
| Sep 2024 | | | No discharge | | 0 | 0 | NA | 18/10/2024 |
| Oct 2024 | | | No discharge | | 0 | 0 | NA | 22/11/2024 |

| EPA ID No. 4 - B2 System Pump out | | | | | | | | |
|-----------------------------------|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 0.5 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Jan 2020 | | | No discharge | | 0 | 0 | NA | 06/02/2020 |
| Feb 2020 | | | No discharge | | 0 | 0 | NA | 13/03/2020 |
| Mar 2020 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| Apr 2020 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| May 2020 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jun 2020 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jul 2020 | | | No discharge | | 0 | 0 | NA | 18/08/2020 |
| Aug 2020 | | | No discharge | | 0 | 0 | NA | 11/09/2020 |
| Sep 2020 | | | No discharge | | 0 | 0 | NA | 19/10/2020 |
| Oct 2020 | | | No discharge | | 0 | 0 | NA | 16/11/2020 |
| Nov 2020 | | | No discharge | | 0 | 0 | NA | 22/12/2020 |
| Dec 2020 | | | No discharge | | 0 | 0 | NA | 21/01/2021 |
| Jan 2021 | | | No discharge | | 0 | 0 | NA | 15/02/2021 |
| Feb 2021 | | | No discharge | | 0 | 0 | NA | 23/03/2021 |
| Mar 2021 | | | No discharge | | 0 | 0 | NA | 15/04/2021 |
| Apr 2021 | | | No discharge | | 0 | 0 | NA | 17/05/2021 |
| May 2021 | | | No discharge | | 0 | 0 | NA | 23/06/2021 |
| Jun 2021 | | | No discharge | | 0 | 0 | NA | 16/07/2021 |
| Jul 2021 | | | No discharge | | 0 | 0 | NA | 19/08/2021 |
| Aug 2021 | | | No discharge | | 0 | 0 | NA | 28/09/2021 |
| Sep 2021 | | | No discharge | | 0 | 0 | NA | 21/10/2021 |
| Oct 2021 | | | No discharge | | 0 | 0 | NA | 24/11/2021 |
| Nov 2021 | | | No discharge | | 0 | 0 | NA | 13/12/2021 |
| Dec 2021 | | | No discharge | | 0 | 0 | NA | 18/01/2022 |
| Jan 2022 | | | No discharge | | 0 | 0 | NA | 16/02/2022 |

| EPA ID No. 4 - B2 System Pump out | | | | | | | | |
|-----------------------------------|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 0.5 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Feb 2022 | | | No discharge | | 0 | 0 | NA | 11/03/2022 |
| Mar 2022 | | | No discharge | | 0 | 0 | NA | 13/04/2022 |
| Apr 2022 | | | No discharge | | 0 | 0 | NA | 31/05/2022 |
| May 2022 | | | No discharge | | 0 | 0 | NA | 20/06/2022 |
| Jun 2022 | | | No discharge | | 0 | 0 | NA | 26/07/2022 |
| Jul 2022 | | | No discharge | | 0 | 0 | NA | 12/08/2022 |
| Aug 2022 | | | No discharge | | 0 | 0 | NA | 16/09/2022 |
| Sep 2022 | | | No discharge | | 0 | 0 | NA | 21/10/2022 |
| Oct 2022 | | | No discharge | | 0 | 0 | NA | 21/11/2022 |
| Nov 2022 | | | No discharge | | 0 | 0 | NA | 22/12/2022 |
| Dec 2022 | | | No discharge | | 0 | 0 | NA | 24/01/2023 |
| Jan 2023 | | | No discharge | | 0 | 0 | NA | 24/02/2023 |
| Feb 2023 | | | No discharge | | 0 | 0 | NA | 10/03/2023 |
| Mar 2023 | | | No discharge | | 0 | 0 | NA | 26/04/2023 |
| Apr 2023 | | | No discharge | | 0 | 0 | NA | 11/05/2023 |
| May 2023 | | | No discharge | | 0 | 0 | NA | 19/06/2023 |
| Jun 2023 | | | No discharge | | 0 | 0 | NA | 20/07/2023 |
| Jul 2023 | | | No discharge | | 0 | 0 | NA | 22/08/2023 |
| Aug 2023 | | | No discharge | | 0 | 0 | NA | 22/09/2023 |
| Sep 2023 | | | No discharge | | 0 | 0 | NA | 24/10/2023 |
| Oct 2023 | | | No discharge | | 0 | 0 | NA | 20/11/2023 |
| Nov 2023 | | | No discharge | | 0 | 0 | NA | 19/12/2023 |
| Dec 2023 | | | No discharge | | 0 | 0 | NA | 15/01/2024 |
| Jan 2024 | | | No discharge | | 0 | 0 | NA | 21/02/2024 |
| Feb 2024 | | | No discharge | | 0 | 0 | NA | 14/03/2024 |
| Mar 2024 | | | No discharge | | 0 | 0 | NA | 23/04/2024 |

| EPA ID No. 4 - B2 System Pump out | | | | | | | | |
|-----------------------------------|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Date data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 0.5 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Apr 2024 | | | No discharge | | 0 | 0 | NA | 20/05/2024 |
| May 2024 | | | No discharge | | 0 | 0 | NA | 18/06/2024 |
| Jun 2024 | | | No discharge | | 0 | 0 | NA | 12/07/2024 |
| Jul 2024 | | | No discharge | | 0 | 0 | NA | 20/08/2024 |
| Aug 2024 | | | No discharge | | 0 | 0 | NA | 20/09/2024 |
| Sep 2024 | | | No discharge | | 0 | 0 | NA | 18/10/2024 |
| Oct 2024 | | | No discharge | | 0 | 0 | NA | 22/11/2024 |

| EPA ID No.25 – Flexible discharge outlet | | | | | |
|--|----------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Date Data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 100 | 50 | | |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | <24 hrs prior to discharge | <24 hrs prior to discharge | <24 hrs prior to discharge | | |
| Jan 2020 | | No discharge | | NA | 06/02/2020 |
| Feb 2020 | | No discharge | | NA | 13/03/2020 |
| Mar 2020 | | No discharge | | NA | 15/05/2020 |
| Apr 2020 | | No discharge | | NA | 15/05/2020 |
| May 2020 | | No discharge | | NA | 17/07/2020 |
| Jun 2020 | | No discharge | | NA | 17/07/2020 |
| Jul 2020 | | No discharge | | NA | 18/08/2020 |
| Aug 2020 | | No discharge | | NA | 11/09/2020 |
| Sep 2020 | | No discharge | | NA | 19/10/2020 |
| Oct 2020 | | No discharge | | NA | 16/11/2020 |
| Nov 2020 | | No discharge | | NA | 22/12/2020 |
| Dec 2020 | | No discharge | | NA | 21/01/2021 |
| Jan 2021 | | No discharge | | NA | 15/02/2021 |
| Feb 2021 | | No discharge | | NA | 23/03/2021 |
| Mar 2021 | | No discharge | | NA | 15/04/2021 |
| Apr 2021 | | No discharge | | NA | 17/05/2021 |
| May 2021 | | No discharge | | NA | 23/06/2021 |
| Jun 2021 | | No discharge | | NA | 16/07/2021 |
| Jul 2021 | | No discharge | | NA | 19/08/2021 |
| Aug 2021 | | No discharge | | NA | 28/09/2021 |
| Sep 2021 | | No discharge | | NA | 21/10/2021 |
| Oct 2021 | | No discharge | | NA | 24/11/2021 |
| Nov 2021 | | No discharge | | NA | 13/12/2021 |
| Dec 2021 | | No discharge | | NA | 18/01/2022 |
| Jan 2022 | | No discharge | | NA | 16/02/2022 |
| Feb 2022 | | No discharge | | NA | 11/03/2022 |
| Mar 2022 | | No discharge | | NA | 13/04/2022 |
| Apr 2022 | | No discharge | | NA | 31/05/2022 |
| May 2022 | | No discharge | | NA | 20/06/2022 |
| Jun 2022 | | No discharge | | NA | 26/07/2022 |
| Jul 2022 | | No discharge | | NA | 12/08/2022 |
| Aug 2022 | | No discharge | | NA | 16/09/2022 |

| EPA ID No.25 – Flexible discharge outlet | | | | | |
|--|----------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Date Data obtained | Publishing Date |
| Licence Limit | 6.0-9.0 | 100 | 50 | | |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | <24 hrs prior to discharge | <24 hrs prior to discharge | <24 hrs prior to discharge | | |
| Sep 2022 | | No discharge | | NA | 21/10/2022 |
| Oct 2022 | | No discharge | | NA | 21/11/2022 |
| Nov 2022 | | No discharge | | NA | 22/12/2022 |
| Dec 2022 | | No discharge | | NA | 24/01/2023 |
| Jan 2023 | | No discharge | | NA | 24/02/2023 |
| Feb 2023 | | No discharge | | NA | 10/03/2023 |
| Mar 2023 | | No discharge | | NA | 26/04/2023 |
| Apr 2023 | | No discharge | | NA | 11/05/2023 |
| May 2023 | | No discharge | | NA | 19/06/2023 |
| Jun 2023 | | No discharge | | NA | 20/07/2023 |
| Jul 2023 | | No discharge | | NA | 22/08/2023 |
| Aug 2023 | | No discharge | | NA | 22/09/2023 |
| Sep 2023 | | No discharge | | NA | 24/10/2023 |
| Oct 2023 | | No discharge | | NA | 20/11/2023 |
| Nov 2023 | | No discharge | | NA | 19/12/2023 |
| Dec 2023 | | No discharge | | NA | 15/01/2024 |
| Jan 2024 | | No discharge | | NA | 21/02/2024 |
| Feb 2024 | | No discharge | | NA | 14/03/2024 |
| Mar 2024 | | No discharge | | NA | 23/04/2024 |
| Apr 2024 | | No discharge | | NA | 20/05/2024 |
| May 2024 | | No discharge | | NA | 18/06/2024 |
| Jun 2024 | | No discharge | | NA | 12/07/2024 |
| Jul 2024 | | No discharge | | NA | 20/08/2024 |
| Aug 2024 | | No discharge | | NA | 20/09/2024 |
| Sep 2024 | | No discharge | | NA | 18/10/2024 |
| Oct 2024 | | No discharge | | NA | 22/11/2024 |

| EPA ID No. 26 - B2 System Monitoring Point | | | | | | | | | | |
|--|------------------------|------------------------|------------------------|------------------------|------------------------------|---------|---------|---------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Total Petroleum Hydrocarbons | | | | Date data obtained | Publishing Date |
| | | | | | C6-C9 | C10-C14 | C15-C28 | C29-C36 | | |
| Units of Measure | | mg/L | mg/L | mg/L | µg/L | | | | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | | | | | |
| Jan 2020 | | | | No discharge | | | | | NA | 06/02/2020 |
| Feb 2020 | | | | No discharge | | | | | NA | 13/03/2020 |
| Mar 2020 | | | | No discharge | | | | | NA | 15/05/2020 |
| Apr 2020 | | | | No discharge | | | | | NA | 15/05/2020 |
| May 2020 | | | | No discharge | | | | | NA | 17/07/2020 |
| Jun 2020 | | | | No discharge | | | | | NA | 17/07/2020 |
| Jul 2020 | | | | No discharge | | | | | NA | 18/08/2020 |
| Aug 2020 | | | | No discharge | | | | | NA | 11/09/2020 |
| Sep 2020 | | | | No discharge | | | | | NA | 19/10/2020 |
| Oct 2020 | | | | No discharge | | | | | NA | 16/11/2020 |
| Nov 2020 | | | | No discharge | | | | | NA | 22/12/2020 |
| Dec 2020 | | | | No discharge | | | | | NA | 21/01/2021 |
| Jan 2021 | | | | No discharge | | | | | NA | 15/02/2021 |
| Feb 2021 | | | | No discharge | | | | | NA | 23/03/2021 |
| Mar 2021 | | | | No discharge | | | | | NA | 15/04/2021 |
| Apr 2021 | | | | No discharge | | | | | NA | 17/05/2021 |
| May 2021 | | | | No discharge | | | | | NA | 23/06/2021 |
| Jun 2021 | | | | No discharge | | | | | NA | 16/07/2021 |
| Jul 2021 | | | | No discharge | | | | | NA | 19/08/2021 |
| Aug 2021 | | | | No discharge | | | | | NA | 28/09/2021 |
| Sep 2021 | | | | No discharge | | | | | NA | 21/10/2021 |
| Oct 2021 | | | | No discharge | | | | | NA | 24/11/2021 |
| Nov 2021 | | | | No discharge | | | | | NA | 13/12/2021 |
| Dec 2021 | | | | No discharge | | | | | NA | 18/01/2022 |
| Jan 2022 | | | | No discharge | | | | | NA | 16/02/2022 |
| Feb 2022 | | | | No discharge | | | | | NA | 11/03/2022 |
| Mar 2022 | | | | No discharge | | | | | NA | 13/04/2022 |
| Apr 2022 | | | | No discharge | | | | | NA | 31/05/2022 |
| May 2022 | | | | No discharge | | | | | NA | 20/06/2022 |
| Jun 2022 | | | | No discharge | | | | | NA | 26/07/2022 |

| EPA ID No. 26 - B2 System Monitoring Point | | | | | | | | | | |
|--|------------------------|------------------------|------------------------|------------------------|------------------------------|---------|---------|---------|--------------------|-----------------|
| Pollutant | pH | Phenols | Total Organic Carbon | Total Suspended Solids | Total Petroleum Hydrocarbons | | | | Date data obtained | Publishing Date |
| | | | | | C6-C9 | C10-C14 | C15-C28 | C29-C36 | | |
| Units of Measure | | mg/L | mg/L | mg/L | µg/L | | | | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | | | | | |
| Jul 2022 | | | | No discharge | | | | | NA | 12/08/2022 |
| Aug 2022 | | | | No discharge | | | | | NA | 16/09/2022 |
| Sep 2022 | | | | No discharge | | | | | NA | 21/10/2022 |
| Oct 2022 | | | | No discharge | | | | | NA | 21/11/2022 |
| Nov 2022 | | | | No discharge | | | | | NA | 22/12/2022 |
| Dec 2022 | | | | No discharge | | | | | NA | 24/01/2023 |
| Jan 2023 | | | | No discharge | | | | | NA | 24/02/2023 |
| Feb 2023 | | | | No discharge | | | | | NA | 10/03/2023 |
| Mar 2023 | | | | No discharge | | | | | NA | 26/04/2023 |
| Apr 2023 | | | | No discharge | | | | | NA | 11/05/2023 |
| May 2023 | | | | No discharge | | | | | NA | 19/06/2023 |
| Jun 2023 | | | | No discharge | | | | | NA | 20/07/2023 |
| Jul 2023 | | | | No discharge | | | | | NA | 22/08/2023 |
| Aug 2023 | | | | No discharge | | | | | NA | 22/09/2023 |
| Sep 2023 | | | | No discharge | | | | | NA | 24/10/2023 |
| Oct 2023 | | | | No discharge | | | | | NA | 20/11/2023 |
| Nov 2023 | | | | No discharge | | | | | NA | 19/12/2023 |
| Dec 2023 | | | | No discharge | | | | | NA | 15/01/2024 |
| Jan 2024 | | | | No discharge | | | | | NA | 21/02/2024 |
| Feb 2024 | | | | No discharge | | | | | NA | 14/03/2024 |
| Mar 2024 | | | | No discharge | | | | | NA | 23/04/2024 |
| Apr 2024 | | | | No discharge | | | | | NA | 20/05/2024 |
| May 2024 | | | | No discharge | | | | | NA | 18/06/2024 |
| Jun 2024 | | | | No discharge | | | | | NA | 12/07/2024 |
| Jul 2024 | | | | No discharge | | | | | NA | 20/08/2024 |
| Aug 2024 | | | | No discharge | | | | | NA | 20/09/2024 |
| Sep 2024 | | | | No discharge | | | | | NA | 18/10/2024 |
| Oct 2024 | | | | No discharge | | | | | NA | 22/11/2024 |

| EPA ID No. 28 – East Interceptor Bays 1 & 2 | | | | | |
|---|---------------------|----------------------|------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | Each overflow event | Each overflow event | Each overflow event | | |
| Jan 2020 | | No discharge | | NA | 06/02/2020 |
| 07/02/2020 | 7.6 | 2.7 | 6 | - | 13/03/2020 |
| 08/02/2020 | 7.6 | 1.6 | <5 | - | 13/03/2020 |
| 09/02/2020 | 7.7 | 1.3 | 6 | - | 13/03/2020 |
| Mar 2020 | | No discharge | | NA | 15/05/2020 |
| Apr 2020 | | No discharge | | NA | 15/05/2020 |
| May 2020 | | No discharge | | NA | 17/07/2020 |
| Jun 2020 | | No discharge | | NA | 17/07/2020 |
| Jul 2020 | | No discharge | | NA | 18/08/2020 |
| Aug 2020 | | No discharge | | NA | 11/09/2020 |
| Sep 2020 | | No discharge | | NA | 19/10/2020 |
| Oct 2020 | | No discharge | | NA | 16/11/2020 |
| Nov 2020 | | No discharge | | NA | 22/12/2020 |
| Dec 2020 | | No discharge | | NA | 21/01/2021 |
| Jan 2021 | | No discharge | | NA | 15/02/2021 |
| Feb 2021 | | No discharge | | NA | 23/03/2021 |
| 20/03/2021 | 7.1 | 1.2 | <5 | 29/03/2021 | 15/04/2020 |
| 21/03/2021 | 7.2 | 1.9 | <5 | 29/03/2021 | 15/04/2020 |
| Apr 2021 | | No discharge | | NA | 17/05/2021 |
| May 2021 | | No discharge | | NA | 23/06/2021 |
| Jun 2021 | | No discharge | | NA | 16/07/2021 |
| Jul 2021 | | No discharge | | NA | 19/08/2021 |
| Aug 2021 | | No discharge | | NA | 28/09/2021 |
| Sep 2021 | | No discharge | | NA | 21/10/2021 |
| Oct 2021 | | No discharge | | NA | 24/11/2021 |
| 26/11/2021 | 7.4 | 3.3 | <5 | 08/12/2021 | 13/12/2021 |
| 27/11/2021 | 7.1 | 2.6 | <5 | 08/12/2021 | 13/12/2021 |
| 29/11/2021 | 7.3 | 2.6 | <5 | 08/12/2021 | 13/12/2021 |
| Dec 2021 | | No discharge | | NA | 18/01/2022 |
| 06/01/2022 | 7.4 | 1.3 | 6 | 11/01/2022 | 16/02/2022 |
| 07/01/2022 | 7.7 | 1.3 | <5 | 13/01/2022 | 16/02/2022 |
| 08/01/2022 | 7.2 | 1.6 | <5 | 17/01/2022 | 16/02/2022 |

| EPA ID No. 28 – East Interceptor Bays 1 & 2 | | | | | |
|--|----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | Each overflow event | Each overflow event | Each overflow event | | |
| 09/01/2022 | 7.9 | 1.4 | <5 | 11/01/2022 | 16/02/2022 |
| 23/02/2022 | 7.0 | 2.1 | <5 | 03/03/2022 | 11/03/2022 |
| 24/02/2022 | 7.0 | 1.9 | <5 | 04/03/2022 | 11/03/2022 |
| 25/02/2022 | 7.2 | 2.5 | <5 | 04/03/2022 | 11/03/2022 |
| 26/02/2022 | 7.3 | 6.0 | <5 | 07/03/2022 | 11/03/2022 |
| 27/02/2022 | 7.1 | 5.4 | 31 | 07/03/2022 | 11/03/2022 |
| 28/02/2022 | 7.1 | 2.7 | <5 | 08/03/2022 | 11/03/2022 |
| 01/03/2022 | 7.1 | 2.9 | <5 | 09/03/2022 | 11/03/2022 |
| 02/03/2022 | 6.7 | 3.9 | <5 | 10/03/2022 | 11/03/2022 |
| 03/03/2022 | 6.7 | 3.6 | 5 | 10/03/2022 | 11/03/2022 |
| 04/03/2022 | 7.5 | 5 | <5 | 15/03/2022 | 29/03/2022 |
| 05/03/2022 | 7.5 | 2.5 | <5 | 15/03/2022 | 29/03/2022 |
| 06/03/2022 | 7.3 | 2.2 | <5 | 15/03/2022 | 29/03/2022 |
| 07/03/2022 | 7.4 | 4.2 | 12 | 15/03/2022 | 29/03/2022 |
| 08/03/2022 | 7.1 | 1.5 | <5 | 17/03/2022 | 29/03/2022 |
| 09/03/2022 | 7.5 | 1.9 | <5 | 17/03/2022 | 29/03/2022 |
| 20/03/2022 | 7.5 | 3.1 | <5 | 28/03/2022 | 29/03/2022 |
| 28/03/2022 | 7.2 | 2.4 | <5 | 05/04/2022 | 13/04/2022 |
| 29/03/2022 | 6.9 | 2.1 | <5 | 07/04/2022 | 13/04/2022 |
| 30/03/2022 | 7.3 | 2.2 | <5 | 08/04/2022 | 13/04/2022 |
| 31/03/2022 | 7.5 | 6.6 | 5 | 08/04/2022 | 13/04/2022 |
| 01/04/2022 | 7.1 | 2.7 | <5 | 11/04/2022 | 13/04/2022 |
| 07/04/2022 | 7.2 | 2.0 | <5 | 19/04/2022 | 26/04/2022 |
| 08/04/2022 | 7.2 | 1.5 | <5 | 19/04/2022 | 26/04/2022 |
| 09/04/2022 | 7.0 | 1.6 | <5 | 20/04/2022 | 26/04/2022 |
| May 2022 | | No discharge | | NA | 20/06/2022 |
| Jun 2022 | | No discharge | | NA | 26/07/2022 |
| 03/07/2022 | 7.1 | 1.6 | <5 | 11/07/2022 | 26/07/2022 |
| 04/07/2022 | 7.4 | 1.7 | <5 | 11/07/2022 | 26/07/2022 |
| 05/07/2022 | 7.0 | 2.5 | <5 | 13/07/2022 | 26/07/2022 |
| 06/07/2022 | 7.1 | 1.5 | <5 | 13/07/2022 | 26/07/2022 |
| 07/07/2022 | 7.3 | 1.6 | <5 | 15/07/2022 | 26/07/2022 |
| 11/07/2022 | 7.3 | 1.7 | <5 | 19/07/2022 | 26/07/2022 |

| EPA ID No. 28 – East Interceptor Bays 1 & 2 | | | | | |
|---|---------------------|----------------------|------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | Each overflow event | Each overflow event | Each overflow event | | |
| 23/07/2022 | 7.8 | 2.9 | <5 | 02/08/2022 | 12/08/2022 |
| Aug 2022 | | No discharge | | NA | 16/09/2022 |
| Sep 2022 | | No discharge | | NA | 21/10/2022 |
| 09/10/2022 | 7.5 | 2.5 | <5 | 17/10/2022 | 21/11/2022 |
| Nov 2022 | | No discharge | | NA | 22/12/2022 |
| Dec 2022 | | No discharge | | NA | 24/01/2023 |
| 07/01/2023 | 7.9 | 2.5 | <5 | 17/01/2023 | 24/01/2023 |
| 31/01/2023 | 7.5 | 2.0 | 9 | 09/02/2023 | 24/02/2023 |
| 22/02/2023 | 7.5 | 2.3 | <5 | 02/03/2023 | 10/03/2023 |
| 23/02/2023 | 7.8 | 2.4 | <5 | 02/03/2023 | 10/03/2023 |
| Mar 2023 | | No discharge | | NA | 26/04/2023 |
| 03/04/2023 | 7.8 | 3.1 | <5 | 12/04/2023 | 26/04/2023 |
| May 2023 | | No discharge | | NA | 19/06/2023 |
| Jun 2023 | | No discharge | | NA | 20/07/2023 |
| Jul 2023 | | No discharge | | NA | 22/08/2023 |
| Aug 2023 | | No discharge | | NA | 22/09/2023 |
| Sep 2023 | | No discharge | | NA | 24/10/2023 |
| Oct 2023 | | No discharge | | NA | 20/11/2023 |
| Nov 2023 | | No discharge | | NA | 19/12/2023 |
| Dec 2023 | | No discharge | | NA | 15/01/2024 |
| 15/01/2024 | 7.9 | 1.9 | 31 | 22/01/2024 | 21/02/2024 |
| 16/01/2024 | 7.6 | 2.7 | 9 | 29/01/2024 | 21/02/2024 |
| 18/01/2024 | 7.5 | 2.5 | 27 | 29/01/2024 | 21/02/2024 |
| 21/02/2024 | 8.0 | 3.1 | 5 | 29/02/2024 | 14/03/2024 |
| Mar 2024 | | No discharge | | NA | 23/04/2024 |
| 05/04/2024 | 7.9 | 1.9 | 31 | 16/04/2024 | 23/04/2024 |
| 06/04/2024 | 7.6 | 2.7 | 9 | 16/04/2024 | 23/04/2024 |
| 07/04/2024 | 7.5 | 2.5 | 27 | 16/04/2024 | 23/04/2024 |
| 06/05/2024 | 7.4 | 3.9 | 37 | 14/05/2024 | 20/05/2024 |
| 12/05/2024 | 8.0 | 3.0 | 8 | 20/05/2024 | 28/05/2024 |
| 13/05/2024 | 7.8 | 4.1 | 8 | 21/05/2024 | 28/05/2024 |
| 02/06/2024 | 7.0 | 3.5 | 18 | 11/06/2024 | 18/06/2024 |
| 07/06/2024 | 8.0 | 3.0 | 21 | 17/06/2024 | 18/06/2024 |

| EPA ID No. 28 – East Interceptor Bays 1 & 2 | | | | | |
|--|----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency as per EPL | Each overflow event | Each overflow event | Each overflow event | | |
| 08/06/2024 | 8.0 | 2.8 | 11 | 18/06/2024 | 25/06/2024 |
| Jul 2024 | | No discharge | | NA | 20/08/2024 |
| Aug 2024 | | No discharge | | NA | 20/09/2024 |
| Sep 2024 | | No discharge | | NA | 18/10/2024 |
| Oct 2024 | | No discharge | | NA | 22/11/2024 |

EPA ID No. 29 – East Interceptor Bays 3 & 4 Overflow

| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
|------------------|---------------------|----------------------|------------------------|--------------------|-----------------|
| Units of Measure | | mg/L | mg/L | | |
| Frequency | Each overflow event | Each overflow event | Each overflow event | | |
| Jan 2020 | | No discharge | | NA | 06/02/2020 |
| 07/02/2020 | 7.6 | 6.6 | 30 | - | 13/03/2020 |
| 08/02/2020 | 7.5 | 6.7 | 9 | - | 13/03/2020 |
| 09/02/2020 | 7.3 | 3.6 | 110 | - | 13/03/2020 |
| 10/02/2020 | 7.3 | 2.9 | 20 | - | 13/03/2020 |
| Mar 2020 | | No discharge | | NA | 15/05/2020 |
| Apr 2020 | | No discharge | | NA | 15/05/2020 |
| May 2020 | | No discharge | | NA | 17/07/2020 |
| Jun 2020 | | No discharge | | NA | 17/07/2020 |
| Jul 2020 | | No discharge | | NA | 18/08/2020 |
| Aug 2020 | | No discharge | | NA | 11/09/2020 |
| Sep 2020 | | No discharge | | NA | 19/10/2020 |
| Oct 2020 | | No discharge | | NA | 16/11/2020 |
| Nov 2020 | | No discharge | | NA | 22/12/2020 |
| Dec 2020 | | No discharge | | NA | 21/01/2021 |
| Jan 2021 | | No discharge | | NA | 15/02/2021 |
| Feb 2021 | | No discharge | | NA | 23/03/2021 |
| 19/03/2021 | 7.4 | 5.8 | 16 | 29/03/2021 | 15/04/2021 |
| 20/03/2021 | 7.2 | 6.0 | 18 | 29/03/2021 | 15/04/2021 |
| 21/03/2021 | 7.1 | 1.8 | <5 | 29/03/2021 | 15/04/2021 |
| 24/03/2021 | 7.2 | 4.8 | 6 | 31/03/2021 | 15/04/2021 |
| Apr 2021 | | No discharge | | NA | 17/05/2021 |
| May 2021 | | No discharge | | NA | 23/06/2021 |
| Jun 2021 | | No discharge | | NA | 16/07/2021 |
| Jul 2021 | | No discharge | | NA | 19/08/2021 |
| Aug 2021 | | No discharge | | NA | 28/09/2021 |
| Sep 2021 | | No discharge | | NA | 21/10/2021 |
| Oct 2021 | | No discharge | | NA | 24/11/2021 |
| 26/11/2021 | 7.4 | 5.9 | 41 | 08/12/2021 | 13/12/2021 |

| EPA ID No. 29 – East Interceptor Bays 3 & 4 Overflow | | | | | |
|--|---------------------|----------------------|------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency | Each overflow event | Each overflow event | Each overflow event | | |
| 27/11/2021 | 7.1 | 6.6 | 17 | 08/12/2021 | 13/12/2021 |
| Dec 2021 | No discharge | | | NA | 18/01/2022 |
| 08/01/2022 | 7.4 | 5.0 | 17 | 17/01/2022 | 16/02/2022 |
| 23/02/2022 | 7.0 | 4.7 | 15 | 03/03/2022 | 11/03/2022 |
| 24/02/2022 | 7.2 | 6.0 | 12 | 04/03/2022 | 11/03/2022 |
| 25/02/2022 | 7.4 | 7.0 | 7 | 04/03/2022 | 11/03/2022 |
| 26/02/2022 | 7.4 | 6.1 | 7 | 07/03/2022 | 11/03/2022 |
| 27/02/2022 | 7.2 | 4.9 | 13 | 07/03/2022 | 11/03/2022 |
| 01/03/2022 | 7.2 | 6.9 | <5 | 09/03/2022 | 11/03/2022 |
| 02/03/2022 | 6.7 | 3.9 | 15 | 10/03/2022 | 11/03/2022 |
| 03/03/2022 | 6.7 | 3.5 | 7 | 10/03/2022 | 11/03/2022 |
| 04/03/2022 | 7.4 | 2.3 | <5 | 15/03/2022 | 29/03/2022 |
| 06/03/2022 | 7.5 | 4.4 | 24 | 15/03/2022 | 29/03/2022 |
| 07/03/2022 | 7.9 | 4.5 | 5 | 15/03/2022 | 29/03/2022 |
| 08/03/2022 | 7.2 | 3.1 | 6 | 17/03/2022 | 29/03/2022 |
| 09/03/2022 | 7.4 | 3.4 | <5 | 17/03/2022 | 29/03/2022 |
| 20/03/2022 | 7.4 | 5.5 | 8 | 28/03/2022 | 29/03/2022 |
| 28/03/2022 | 7.1 | 4.4 | 10 | 05/04/2022 | 13/04/2022 |
| 29/03/2022 | 7.3 | 5.5 | 8 | 07/04/2022 | 13/04/2022 |
| 30/03/2022 | 7.5 | 6.2 | 7 | 08/04/2022 | 13/04/2022 |
| 31/03/2022 | 7.5 | 6.6 | <5 | 08/04/2022 | 13/04/2022 |
| 01/04/2022 | 7.3 | 6.4 | <5 | 11/04/2022 | 13/04/2022 |
| 07/04/2022 | 7.3 | 4.8 | 9 | 19/04/2022 | 26/04/2022 |
| 08/04/2022 | 7.4 | 3.4 | <5 | 19/04/2022 | 26/04/2022 |
| 09/04/2022 | 7.1 | 3.9 | 9 | 20/04/2022 | 26/04/2022 |
| May 2022 | No discharge | | | NA | 20/06/2022 |
| Jun 2022 | No discharge | | | NA | 26/07/2022 |
| 03/07/2022 | 6.9 | 3.0 | 10 | 11/07/2022 | 26/07/2022 |
| 04/07/2022 | 7.5 | 3.6 | <5 | 11/07/2022 | 26/07/2022 |

| EPA ID No. 29 – East Interceptor Bays 3 & 4 Overflow | | | | | |
|--|---------------------|----------------------|------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency | Each overflow event | Each overflow event | Each overflow event | | |
| 05/07/2022 | 7.1 | 1.3 | 5 | 13/07/2022 | 26/07/2022 |
| 06/07/2022 | 7.3 | 3.1 | <5 | 13/07/2022 | 26/07/2022 |
| 07/07/2022 | 7.5 | 3.8 | <5 | 15/07/2022 | 26/07/2022 |
| 11/07/2022 | 7.5 | 3.9 | 9 | 19/07/2022 | 26/07/2022 |
| 23/07/2022 | 7.7 | 4.3 | 8 | 02/08/2022 | 12/08/2022 |
| Aug 2022 | | No discharge | | NA | 16/09/2022 |
| Sep 2022 | | No discharge | | NA | 21/10/2022 |
| 09/10/2022 | 7.5 | 5.0 | 16 | 17/10/2022 | 21/11/2022 |
| 10/10/2022 | 7.1 | 4.4 | 13 | 18/10/2022 | 21/11/2022 |
| Nov 2022 | | No discharge | | NA | 22/12/2022 |
| Dec 2022 | | No discharge | | NA | 24/01/2023 |
| 07/01/2023 | 7.7 | 4.5 | 10 | 17/01/2023 | 24/01/2023 |
| 31/01/2023 | 7.3 | 3.7 | 16 | 09/02/2023 | 24/02/2023 |
| 01/02/2023 | 7.3 | 3.9 | 17 | 10/02/2023 | 24/02/2023 |
| 22/02/2023 | 7.8 | 3.9 | 16 | 02/03/2023 | 10/03/2023 |
| 23/02/2023 | 7.6 | 4.6 | 11 | 02/03/2023 | 10/03/2023 |
| Mar 2023 | | No discharge | | NA | 26/04/2023 |
| 03/04/2023 | 7.8 | 4.5 | 10 | 12/04/2023 | 26/04/2023 |
| May 2023 | | No discharge | | NA | 19/06/2023 |
| Jun 2023 | | No discharge | | NA | 20/07/2023 |
| Jul 2023 | | No discharge | | NA | 22/08/2023 |
| Aug 2023 | | No discharge | | NA | 22/09/2023 |
| Sep 2023 | | No discharge | | NA | 24/10/2023 |
| Oct 2023 | | No discharge | | NA | 20/11/2023 |
| Nov 2023 | | No discharge | | NA | 19/12/2023 |
| Dec 2023 | | No discharge | | NA | 15/01/2024 |
| 15/01/2024 | 7.5 | 3.9 | 23 | 22/01/2024 | 21/02/2024 |
| 16/01/2024 | 7.5 | 4.1 | <5 | 29/01/2024 | 21/02/2024 |
| 21/02/2024 | 7.8 | 4.9 | 7 | 29/02/2024 | 14/03/2024 |

| EPA ID No. 29 – East Interceptor Bays 3 & 4 Overflow | | | | | |
|--|---------------------|----------------------|------------------------|--------------------|-----------------|
| Pollutant | pH | Total Organic Carbon | Total Suspended Solids | Data obtained Date | Publishing Date |
| Units of Measure | | mg/L | mg/L | | |
| Frequency | Each overflow event | Each overflow event | Each overflow event | | |
| Mar 2024 | | No discharge | | NA | 23/04/2024 |
| 05/04/2024 | 8.2 | 6.2 | 33 | 16/04/2024 | 23/04/2024 |
| 06/04/2024 | 7.5 | 3.0 | 14 | 16/04/2024 | 23/04/2024 |
| 06/05/2024 | 8.2 | 4.1 | 39 | 14/05/2024 | 20/05/2024 |
| 12/05/2024 | 7.7 | 5.3 | 10 | 20/05/2024 | 28/05/2024 |
| 02/06/2024 | 7.2 | 4.5 | 8 | 11/06/2024 | 18/06/2024 |
| 07/06/2024 | 7.8 | 4.8 | 11 | 17/06/2024 | 18/06/2024 |
| 22/06/2024 | 8.1 | 5.3 | <5 | 01/07/2024 | 12/07/2024 |
| Jul 2024 | | No discharge | | NA | 20/08/2024 |
| Aug 2024 | | No discharge | | NA | 20/09/2024 |
| Sep 2024 | | No discharge | | NA | 18/10/2024 |
| Oct 2024 | | No discharge | | NA | 22/11/2024 |

| EPA ID No.30 – East Interceptor Pumpout | | | | | | | | |
|---|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Oil and Grease | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Data obtained Date | Publishing Date |
| Licence Limit | 6.0-9.0 | 10 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Jan-20 | | | No discharge | | 0 | 0 | NA | 06/02/2020 |
| Feb-20 | | | No discharge | | 0 | 0 | NA | 13/03/2020 |
| Mar-20 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| Apr-20 | | | No discharge | | 0 | 0 | NA | 15/05/2020 |
| May-20 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jun-20 | | | No discharge | | 0 | 0 | NA | 17/07/2020 |
| Jul-20 | | | No discharge | | 0 | 0 | NA | 18/08/2020 |
| Aug-20 | | | No discharge | | 0 | 0 | NA | 11/09/2020 |
| Sep-20 | | | No discharge | | 0 | 0 | NA | 19/10/2020 |
| Oct-20 | | | No discharge | | 0 | 0 | NA | 16/11/2020 |
| Nov-20 | | | No discharge | | 0 | 0 | NA | 22/12/2020 |
| Dec-20 | | | No discharge | | 0 | 0 | NA | 21/01/2021 |
| Jan-21 | | | No discharge | | 0 | 0 | NA | 15/02/2021 |
| Feb-21 | | | No discharge | | 0 | 0 | NA | 23/03/2021 |
| Mar-21 | | | No discharge | | 0 | 0 | NA | 15/04/2021 |
| Apr-21 | | | No discharge | | 0 | 0 | NA | 17/05/2021 |
| May-21 | | | No discharge | | 0 | 0 | NA | 23/06/2021 |
| Jun-21 | | | No discharge | | 0 | 0 | NA | 16/07/2021 |
| Jul-21 | | | No discharge | | 0 | 0 | NA | 19/08/2021 |
| Aug-21 | | | No discharge | | 0 | 0 | NA | 28/09/2021 |
| Sep-21 | | | No discharge | | 0 | 0 | NA | 21/10/2021 |
| Oct-21 | | | No discharge | | 0 | 0 | NA | 24/11/2021 |
| Nov-21 | | | No discharge | | 0 | 0 | NA | 13/12/2021 |
| Dec-21 | | | No discharge | | 0 | 0 | NA | 18/01/2022 |
| Jan-22 | | | No discharge | | 0 | 0 | NA | 16/02/2022 |
| Feb-22 | | | No discharge | | 0 | 0 | NA | 11/03/2022 |

| EPA ID No.30 – East Interceptor Pumpout | | | | | | | | |
|---|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Oil and Grease | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Data obtained Date | Publishing Date |
| Licence Limit | 6.0-9.0 | 10 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Mar-22 | | | No discharge | | 0 | 0 | NA | 13/04/2022 |
| Apr-22 | | | No discharge | | 0 | 0 | NA | 31/05/2022 |
| May-22 | | | No discharge | | 0 | 0 | NA | 20/06/2022 |
| Jun-22 | | | No discharge | | 0 | 0 | NA | 26/07/2022 |
| Jul-22 | | | No discharge | | 0 | 0 | NA | 12/08/2022 |
| Aug-22 | | | No discharge | | 0 | 0 | NA | 16/09/2022 |
| Sep-22 | | | No discharge | | 0 | 0 | NA | 21/10/2022 |
| Oct-22 | | | No discharge | | 0 | 0 | NA | 21/11/2022 |
| Nov-22 | | | No discharge | | 0 | 0 | NA | 22/12/2022 |
| Dec-22 | | | No discharge | | 0 | 0 | NA | 24/01/2023 |
| Jan-23 | | | No discharge | | 0 | 0 | NA | 24/02/2023 |
| Feb-23 | | | No discharge | | 0 | 0 | NA | 10/03/2023 |
| Mar-23 | | | No discharge | | 0 | 0 | NA | 26/04/2023 |
| Apr-23 | | | No discharge | | 0 | 0 | NA | 11/05/2023 |
| May-23 | | | No discharge | | 0 | 0 | NA | 19/06/2023 |
| Jun-23 | | | No discharge | | 0 | 0 | NA | 20/07/2023 |
| Jul-23 | | | No discharge | | 0 | 0 | NA | 22/08/2023 |
| Aug-23 | | | No discharge | | 0 | 0 | NA | 22/09/2023 |
| Sep-23 | | | No discharge | | 0 | 0 | NA | 24/10/2023 |
| Oct-23 | | | No discharge | | 0 | 0 | NA | 20/11/2023 |
| Nov-23 | | | No discharge | | 0 | 0 | NA | 19/12/2023 |
| Dec-23 | | | No discharge | | 0 | 0 | NA | 15/01/2024 |
| Jan-24 | | | No discharge | | 0 | 0 | NA | 21/02/2024 |
| Feb-24 | | | No discharge | | 0 | 0 | NA | 14/03/2024 |
| Mar-24 | | | No discharge | | 0 | 0 | NA | 23/04/2024 |
| Apr-24 | | | No discharge | | 0 | 0 | NA | 20/05/2024 |
| May-24 | | | No discharge | | 0 | 0 | NA | 18/06/2024 |

| EPA ID No.30 – East Interceptor Pumpout | | | | | | | | |
|---|------------------------|------------------------|------------------------|------------------------|----------------------------|----------------------------|--------------------|-----------------|
| Pollutant | pH | Oil and Grease | Total Organic Carbon | Total Suspended Solids | Max Daily Discharge Volume | Ave Daily Discharge Volume | Data obtained Date | Publishing Date |
| Licence Limit | 6.0-9.0 | 10 | 100 | 50 | 5000 | 5000 | | |
| Units of Measure | | mg/L | mg/L | mg/L | kL | kL | | |
| Frequency as per EPL | Daily when discharging | Daily when discharging | Daily when discharging | Daily when discharging | Daily | Monthly | | |
| Jun-24 | | | No discharge | | 0 | 0 | NA | 12/07/2024 |
| Jul-24 | | | No discharge | | 0 | 0 | NA | 20/08/2024 |
| Aug-24 | | | No discharge | | 0 | 0 | NA | 20/09/2024 |
| Sep-24 | | | No discharge | | 0 | 0 | NA | 18/10/2024 |
| Oct-24 | | | No discharge | | 0 | 0 | NA | 22/11/2024 |

| Correction Log – EPL No.570 | | | | | |
|------------------------------------|----------------------|-----------------------|-----------------------|----------------------------------|---------------|
| Sample Date and Time | Original Data | Corrected Data | Date Corrected | Date originally published | Reason |
| - | - | - | - | - | - |